


- GENERAL NOTES / RCP**
1. CEILING HEIGHTS ARE MEASURED FROM FINISHED FLOOR
 2. RCP DIMENSIONS ARE TO FACE OF FINISH.
 3. CEILING COMPONENTS LOCATED IN ACT TO BE CENTERED IN 2x2' MODULE, UNON.
 4. REFER TO SHEET SERIES ES-102 FOR ALL LIGHT FIXTURE TYPES AND GENERAL LOCATIONS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONED LOCATIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
 5. REFER TO SHEET SERIES MH-101 FOR ALL MECHANICAL CEILING ELEMENTS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONED LOCATIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
 6. REFER TO SHEET TA-102 FOR LOW VOLTAGE AND AV CABLES EQUIPMENT NOT REPRESENTED ON SHEET SERIES AS-102. COORDINATE ELEMENTS WITH ARCHITECT PRIOR TO INSTALLATION.
 7. COORDINATE SPRINKLER INSTALLATION WITH MECHANICAL, DUCT LAYOUT AND CABLE TRAY LAYOUT. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
 8. SPRINKLER HEADS ARE TO BE INSTALLED PER APPROVED SHOP DRAWINGS. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
 9. VERIFY LOCATIONS OF CEILING ACCESS PANELS WITH ARCHITECT PRIOR TO FRAMING.
 10. REFER TO SPEC SECTION 09 51 00 FOR REQUIREMENTS FOR DOWD-UP ACT CLIP LOCATIONS AND SEISMIC REQUIREMENTS.
 11. REFER TO SPEC SECTION 09 06 01 FOR ROOM FINISH SCHEDULE. TO INCLUDE CEILINGS.
 12. ANY WALL OR CEILING MOUNTED DEVICES OR CONTROLS THAT ARE REQUIRED BUT NOT SHOWN ON THIS DRAWING ARE TO BE COORDINATED WITH THE ARCHITECT PRIOR TO INSTALLATION.
 13. SEE STRUCTURAL DRAWINGS FOR ROOF DECK SLOPE AND SLOTTING FOR ALL SUSPENDED COMPONENTS.

MATERIAL LEGEND / REFLECTED CEILING PLAN

- ACQUSTIC TILE, LAY-IN
- GYF BD
- ACQUSTIC TILE, GLUED
- PLAN MATCH LINE
- OPEN TO STRUCTURE
- (OTS)
- EXIT SIGN; SEE ELEC
- CEILING ACCESS PANEL
CAP-1 20"x20"
CAP-2 18"x18"
- HVAC ELEMENTS
- LIGHTING FIXTURES

KEY PLAN



Revisions	Date	CONSULTANT	STAMP	ARCHITECT	Drawing Title	Project Title	VA Project Number	OFFICE OF CONSTRUCTION AND FACILITIES MANAGEMENT	
				 Tina Ely Architect 2915 Wingate Street / Eugene, OR 97408 541.521.2477 / Tina.Ely@comcast.net www.TinaElyArch.com	REFLECTED CEILING PLAN OVERALL	SEISMIC REPLACEMENT BLDG 2 PHASE 1 MINOR ACUTE PSYCHIATRIC WARD	653-322		Department of Veterans Affairs
					Approved: Project Director	Location ROSEBURG, OREGON	Building Number 086	Sheet Number AS-102.0	
						Date 31 MAY 2013	Checked TME	Drawn	

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot


1

2

3

4

5



1 REFLECTED CEILING PLAN - ENLARGED
SCALE: 1/4" = 1'-0"


GENERAL NOTES / RCP

1. CEILING HEIGHTS ARE MEASURED FROM FINISHED FLOOR
2. RCP DIMENSIONS ARE TO FACE OF FINISH.
3. CEILING COMPONENTS LOCATED IN ACT TO BE CENTERED IN 2'x2' MODULE, UON.
4. REFER TO SHEET SERIES ES-102 FOR ALL LIGHT FIXTURE TYPES AND GENERAL LOCATIONS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONED LOCATIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
5. REFER TO SHEET SERIES MH-101 FOR ALL MECHANICAL CEILING ELEMENTS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONED LOCATIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
6. REFER TO SHEET TA-102 FOR LOW VOLTAGE AND AV CEILING EQUIPMENT NOT REPRESENTED ON SHEET SERIES AS-102. COORDINATE ELEMENTS WITH ARCHITECT PRIOR TO INSTALLATION.
7. COORDINATE SPRINKLER INSTALLATION WITH MECHANICAL DUCT LAYOUT AND CABLE TRAY LAYOUT. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
8. SPRINKLER HEADS ARE TO BE INSTALLED PER APPROVED SHOP DRAWINGS. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
9. VERIFY LOCATIONS OF CEILING ACCESS PANELS WITH ARCHITECT PRIOR TO FRAMING.
10. REFER TO SPEC SECTION 09 51 00 FOR REQUIRED HOLD-DOWN ACT CLIP LOCATIONS AND SEISMIC REQUIREMENTS.
11. REFER TO SPEC SECTION 09 06 01 FOR ROOM FINISH SCHEDULE, TO INCLUDE CEILINGS.
12. ANY WALL OR CEILING MOUNTED DEVICES OR CONTROLS THAT ARE REQUIRED BUT NOT SHOWN ON THIS DRAWING ARE TO BE COORDINATED WITH THE ARCHITECT PRIOR TO INSTALLATION.
13. SEE STRUCTURAL DRAWINGS FOR ROOF DECK SUPPORT LIMITATIONS FOR ALL SUSPENDED COMPONENTS.

MATERIAL LEGEND / REFLECTED CEILING PLAN

- ACOUSTIC TILE, LAY-IN
- GYP BD
- ACOUSTIC TILE, GLUED
- PLAN MATCH LINE
- OPEN TO STRUCTURE
- EXIT SIGN; SEE ELEC
- CEILING ACCESS PANEL
CAP-1 20"x20"
CAP-2 18"x18"
- HVAC ELEMENTS

KEY PLAN



Revisions	Date

CONSULTANT

STAMP



ARCHITECT



Tina Ely Architect

2915 Wingate Street / Eugene, OR 97408
541.521.2477 / Tina.Ely@comcast.net
www.TinaElyArch.com

Drawing Title
**ENLARGED REFLECTED
CEILING PLAN**

Approved: Project Director

Project Title
**SEISMIC REPLACEMENT BLDG 2
PHASE 1 MINOR
ACUTE PSYCHIATRIC WARD**

Location
ROSEBURG, OREGON

Date
31 MAY 2013

Checked
TME

Drawn

VA Project Number
653-322
Building Number
086
Sheet Number

AS-102.2

OFFICE OF
CONSTRUCTION
AND FACILITIES
MANAGEMENT



1


2

3

4

5

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



- GENERAL NOTES / RCP**
1. CEILING HEIGHTS ARE MEASURED FROM FINISHED FLOOR
 2. RCP DIMENSIONS ARE TO FACE OF FINISH.
 3. CEILING COMPONENTS LOCATED IN ACT TO BE CENTERED IN 2'x2' MODULE, UON.
 4. REFER TO SHEET SERIES ES-102 FOR ALL LIGHT FIXTURE TYPES AND GENERAL LOCATIONS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONED LOCATIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
 5. REFER TO SHEET SERIES MH-101 FOR ALL MECHANICAL CEILING ELEMENTS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONED LOCATIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
 6. REFER TO SHEET TA-102 FOR LOW VOLTAGE AND AV CEILING EQUIPMENT NOT REPRESENTED ON SHEET SERIES AS-102. COORDINATE ELEMENTS WITH ARCHITECT PRIOR TO INSTALLATION.
 7. COORDINATE SPRINKLER INSTALLATION WITH MECHANICAL DUCT LAYOUT AND CABLE TRAY LAYOUT. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
 8. SPRINKLER HEADS ARE TO BE INSTALLED PER APPROVED SHOP DRAWINGS. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
 9. VERIFY LOCATIONS OF CEILING ACCESS PANELS WITH ARCHITECT PRIOR TO FRAMING.
 10. REFER TO SPEC SECTION 09 51 00 FOR REQUIRED HOLD-DOWN ACT CLIP LOCATIONS AND SEISMIC REQUIREMENTS.
 11. REFER TO SPEC SECTION 09 06 01 FOR ROOM FINISH SCHEDULE, TO INCLUDE CEILINGS.
 12. ANY WALL OR CEILING MOUNTED DEVICES OR CONTROLS THAT ARE REQUIRED BUT NOT SHOWN ON THIS DRAWING ARE TO BE COORDINATED WITH THE ARCHITECT PRIOR TO INSTALLATION.
 13. SEE STRUCTURAL DRAWINGS FOR ROOF DECK SUPPORT LIMITATIONS FOR ALL SUSPENDED COMPONENTS.


MATERIAL LEGEND / REFLECTED CEILING PLAN

ACOUSTIC TILE, LAY-IN	
GYP BD	
ACOUSTIC TILE, GLUED	
PLAN MATCH LINE	
OPEN TO STRUCTURE	
EXIT SIGN; SEE ELEC	
CEILING ACCESS PANEL CAP-1 20"x20" CAP-2 18"x18"	
HVAC ELEMENTS	
LIGHTING FIXTURES	


1 REFLECTED CEILING PLAN - ENLARGED
SCALE: 1/4" = 1'-0"



KEY PLAN



Revisions		Date	CONSULTANT		STAMP	<div><div>4447 TINA M. ELY EUGENE, OREGON</div><div>REGISTERED ARCHITECT STATE OF OREGON</div></div>	ARCHITECT	Drawing Title		Project Title		VA Project Number		OFFICE OF CONSTRUCTION AND FACILITIES MANAGEMENT	
ENLARGED REFLECTED CEILING PLAN		SEISMIC REPLACEMENT BLDG 2 PHASE 1 MINOR ACUTE PSYCHIATRIC WARD								653-322					
		Approved: Project Director						Building Number 086		Sheet Number					
		Location ROSEBURG, OREGON						AS-102.3		<div><div></div><div>Department of Veterans Affairs</div></div>					
		Date 31 MAY 2013						Checked							
		Drawn TME													



1 REFLECTED FLOOR PLAN AT DEDUCT ALTERNATE A-4
SCALE: 1/4" = 1'-0"




GENERAL NOTES / RCP


1. CEILING HEIGHTS ARE MEASURED FROM FINISHED FLOOR
2. RCP DIMENSIONS ARE TO FACE OF FINISH.
3. CEILING COMPONENTS LOCATED IN ACT TO BE CENTERED IN 2x2 MODULE. UON.
4. REFER TO SHEET SERIES ES-102 FOR ALL LIGHT FIXTURE TYPES AND GENERAL LOCATIONS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
5. REFER TO SHEET SERIES MH-101 FOR ALL MECHANICAL CEILING ELEMENTS. REFER TO SHEET SERIES AS-102 FOR DIMENSIONS. REPORT DISCREPANCIES TO ARCHITECT PRIOR TO INSTALLATION.
6. REFER TO SHEET TA-102 FOR LOW VOLTAGE AND AV CEILING EQUIPMENT NOT REPRESENTED ON SHEET SERIES AS-102. COORDINATE ALL ELEMENTS WITH ARCHITECT PRIOR TO INSTALLATION.
7. COORDINATE SPRINKLER INSTALLATION WITH MECHANICAL DUCT LAYOUT AND CABLE TRAY LAYOUT. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
8. SPRINKLER HEADS ARE TO BE INSTALLED PER APPROVED SHOP DRAWINGS. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION.
9. VERIFY LOCATIONS OF CEILING ACCESS PANELS WITH ARCHITECT PRIOR TO FRAMING.
10. REFER TO SPEC SECTION 95.110 FOR REQUIRED HOLD-DOWN ACT CLIP LOCATIONS AND SEISMIC REQUIREMENTS.
11. REFER TO SPEC SECTION 09.61.01 FOR ROOM FINISH SCHEDULE. TO INCLUDE CEILING.
12. NO WALL OR CEILING MOUNTED DEVICES OR CONTROLS THAT ARE NOT SHOWN ON THIS DRAWING ARE TO BE COORDINATED WITH THE ARCHITECT PRIOR TO INSTALLATION.
13. SEE STRUCTURAL DRAWINGS FOR ROOF DECK SUPPORT CONDITIONS FOR ALL SUSPENDED COMPONENTS.

MATERIAL LEGEND / REFLECTED CEILING PLAN

ACOUSTIC TILE, LAY-IN



GYP BD



PLAN MATCH LINE



OPEN TO STRUCTURE




EXIT SIGN; SEE ELEC




CEILING ACCESS PANEL
CAR 1 30"x30"



LIBRARY ELEMENTS



KEY PLAN



Revisions	Date	CONSULTANT	STAMP	ARCHITECT	Drawing Title	Project Title	VA Project Number	OFFICE OF CONSTRUCTION AND FACILITIES MANAGEMENT
				 <p>Tina Ely Architect 2915 Wingate Street / Eugene, OR 97408 541.521.2477 / Tina.Ely@comcast.net www.TinaFlyArch.com</p>	<p>DEDUCT ALTERNATE A-4 REFLECTED CEILING PLAN</p>	SEISMIC REPLACEMENT BLDG 2	653-322	
						PHASE 1 MINOR	Building Number	
						ACUTE PSYCHIATRIC WARD	086	
					Approved: Project Director	Location	Sheet Number	
						ROSEBURG, OREGON	AS-102.4	
						Date	Checked	Drawn
						31 MAY 2013	TME	

